



FH[®]



FIREHOUSE Software **FH Inspector 1.1.0** **Release Notes**



© 1993 - 2011 ACS, A Xerox Company,
Xerox Corporation and Affiliated Computer Services Inc. All rights reserved.
2900 100th St., Suite 309
Urbandale, IA 50322
All rights reserved

WSpell ActiveX Spelling Checker © 1997 - 2002
Wintertree Software, Inc.
PDF Rasterizer.NET © 2001 - 2005
TallComponents BV

FIREHOUSE Software® is a registered trademark of ACS. All rights reserved. Microsoft, MS, MS-DOS, Microsoft Visual FoxPro, and Microsoft Access are registered trademarks. Windows is a trademark of Microsoft Corporation. CAMEO is a registered trademark. iPad is a registered trademark of Apple, Inc. All other products or services mentioned in this manual are identified by the trademarks or service marks of their respective companies or organizations. ACS disclaims any responsibilities for specifying which marks are owned by which companies or organizations.

FIREHOUSE Software is protected by the copyright laws that pertain to computer software. It is illegal to make copies of the Software except for backups. It is illegal to rent, lease, sublicense, or otherwise transfer any of the materials. It is illegal to remove or obscure proprietary notices. It is illegal to duplicate and distribute the Software by any other means, including electronic transmission. To protect trade secrets contained in the Software, you may not decompile, reverse engineer, disassemble, or otherwise reduce the Software to human perceivable form. You may not modify, adapt, translate, rent, lease, or create derivative works based upon the Software or any part thereof.

ACS warrants the original CDs are free from defects in material and workmanship, assuming normal use, for ninety (90) days from the date of purchase. Except for express warranty of the original CDs set forth above, ACS grants no other warranties, express or implied, by statute or otherwise, regarding the CDs related materials, their fitness for any purpose, their quality, their merchantability, or otherwise. The liability of ACS, under the warranty set forth above, shall be limited to the amount paid by the customer for the product. In no event shall ACS be liable for any special, consequential, or other damages for breach of warranty.

© 2011 ACS - Printed in the United States. All rights reserved. No part of this work covered by copyright hereon may be reproduced in any form by any means -- graphic, electronic, or mechanical -- including photocopying, recording, taping, or storage in any information retrieval system, without the written permission of the copyright owner.

Technical support

FIREHOUSE Software Technical Support:

Phone: 800-921-5300, option 2

support@firehousesoftware.com

Sales contacts

Jim Brandariz

Phone: 800-796-1614, 530-621-0981

Fax: 530-626-8582

Jim.Brandariz@acs-inc.com

AZ, CA, NV, OR, WA

Mike Rogers

Phone: 888-941-3473, 214-504-0242

Fax: 214-504-0244

Mike.Rogers@acs-inc.com

AR, KS, LA, MO, MS, OK, TX

Justin Powell

Roger DeDoncker

Rebecca Sanger

Phone: 800-921-5300, ext. 1

Fax: 515-288-4825

fhsales@acs-inc.com

AK, AL, CO, GA, FL, HI, ID, IA, IL, MI, MN, MT,
NC, ND, NE, NM, SC, SD, TN, UT, WI, WY,
International

Peter Eleftherakis

Phone: 888-362-4446, 508-362-4446

Fax: 508-362-5932

Peter.Eleftherakis@acs-inc.com

CT, MA, ME, NH, NY, RI, VT, Ontario

Forest Nace

Phone: 800-285-8685

Fax: 724-283-9086

Forrest.Nace@acs-inc.com

DE, IN, KY, MD, NJ, OH, PA, VA, WV

Table of Contents

- Introduction** 1
- Issues resolved** 1
 - Text was lost when the iPad was rotated 1
 - Table did not resize correctly when iPad was rotated 1
- Enhancements** 1
 - Hydrants now filtered by shift 1
 - Completed inspections can no longer be edited 1
 - Clear differentiation between completed and scheduled inspections 2
 - Filter completed inspection to show only violations 3
 - Submit Report To section removed 3
 - Questions grouped by category in the inspection checklist 4
 - Inspection list filtering by date improvements 5
 - PDF Report interface changes 5
 - Safeguard for editing occupancy inspections 6

Introduction

These Release Notes are for FHinspector 1.1.0, and provide a listing of the defects resolved and the enhancements implemented during this release.

Issues resolved

The following issues were successfully resolved this release.

Text was lost when the iPad was rotated

Issue When the user was using the **Inspection Questionnaire** screen and rotated the iPad, the text entered by the user was lost.

Resolution The issue has been resolved.

Table did not resize correctly when iPad was rotated

Issue When the user was using the **Inspection Summary** screen and rotated the iPad, the violations table did not resize correctly.

Resolution The issue has been resolved.

Enhancements

The following enhancements were implemented this release.

Hydrants now filtered by shift

In the past, all the hydrants were displayed in FHinspector, regardless of which shift was assigned to the hydrant. Now, when you sign in as a specific shift, only the hydrants for that shift are displayed.

Completed inspections can no longer be edited

Once an inspection is completed, the information in it should no longer be changed. The **Edit Details** button in the top of the **Inspection Questionnaire** screen has been removed, and FHinspector no longer allows completed inspections to be edited.

Clear differentiation between completed and scheduled inspections

In the past, a completed inspection on the **Inspection Questionnaire** screen had the same layout as the scheduled inspection questions. Now, completed inspections have a different layout which clearly displays the answers to the inspection questions and removes the answer buttons from the interface. This new design eliminates confusion as to whether or not the answers to the inspection questions can be changed.

In addition, a **View Summary** button now appears at the bottom of a completed inspection instead of the **Done** button, which is a more intuitive button label for accessing the completed inspection.

Inspection Questionnaire | Sections | 0/10
Kumatsu Motors | SCHEDULED
2295 OTAY LAKES RD ste. 112, CHULA VISTA, CA 91915 / 472-503-9793
0 Violations

1 Access and Water Supply Yes To All N/A To All
Address Numbers YES NO N/A

2 Fire Protection Equipment Yes To All N/A To All
Provide 3ft Clearance Around Fire Appliances YES NO N/A

3 Electrical Yes To All N/A To All
Label Breakers YES NO N/A

4 Remove Exposed Wiring YES NO N/A

Business Details | Review Inspection
Kumatsu Motors | COMPLETED
2295 OTAY LAKES RD ste. 112, CHULA VISTA, CA 91915 / 472-503-9793
10/10
2 Violations

Building Preplans Contact History

Kumatsu Motors Inspection State COMPLETED
2295 OTAY LAKES RD Suite/Unit 112
CHULA VISTA CA 91915

Property Use Code **Preschool**
Mixed Use Code **Business and residential use**
Inspection Type **INSPECTION - Building**
Business License 123456789012345 Parcel Number 6430610500
Square Feet 19782 Number of Floors 1 Occupancy Load 431

Filter completed inspection to show only violations

On the **Inspection Questionnaire** screen, an **Only Show Violations** slider has been added for completed inspections and re-inspections, so that you view only the checklist items that were found to be in violation during the inspection, or all the checklist items and their answers. When the slider is dragged to show **On**, checklist items in violation appear.

The screenshot shows the 'Inspection Questionnaire' interface for 'Kumatsu Motors | COMPLETED'. The address is '2295 OTAY LAKES RD ste. 112, CHULA VISTA, CA 91915 / 472-503-9793'. A progress bar shows '10/10' and 'Violations: 2'. A toggle switch for 'Only Show Violations' is set to 'ON'. Below, two sections are visible: 'Electrical' with item 'Provide 3ft Clearance Around Fire Appliances' (marked 'NO') and 'Fire Protection Equipment' with item 'Remove Exposed Wiring' (marked 'NO').

Submit Report To section removed

For completed inspections, on the **Inspection Summary** screen, at the bottom of the screen, the **Submit Report To** section and its **Edit Details** button have been removed; now only the **View PDF** and **Done** buttons appear. For scheduled inspections, only the **Sign** button appears.

The image shows two button sets. The left set, for completed inspections, includes 'View PDF' and 'Done' buttons. The right set, for scheduled inspections, includes a 'Sign' button. A small 'x' icon is visible next to the 'Sign' button.

Questions grouped by category in the inspection checklist

The inspection checklist has been redesigned to group inspection questions by category, to organize the information and make the interface more friendly. A black heading bar with the name of the category appears over questions in the category, and a dark gray border groups the questions together under the heading bar. In the header bar, the new **Yes To All** and **N/A To All** buttons let you respond to all the questions in the category with the same answer, if appropriate for the questions.


The screenshot displays the 'Inspection Questionnaire' interface for 'Kumatsu Motors | SCHEDULED'. The top header includes a 'Back' button, the title 'Inspection Questionnaire', and a 'Sections' button. Below the header, the location and contact information are listed: '2295 OTAY LAKES RD ste. 112, CHULA VISTA, CA 91915 / 472-503-9793'. A progress indicator shows '0/10' and a 'Violations: 0' status.

The questionnaire is organized into sections, each with a numbered tab on the left and a category heading bar at the top. Each heading bar includes radio buttons for 'Yes To All' and 'N/A To All'.

- Section 1: Access and Water Supply**
 - Question: Address Numbers
 - Response buttons: YES, NO, N/A
- Section 2: Electrical**
 - Question: Provide 3ft Clearance Around Fire Appliances
 - Response buttons: YES, NO, N/A
- Section 3: Label Breakers**
 - Question: Label Breakers
 - Response buttons: YES, NO, N/A
- Section 4: Exits**
 - Question: Remove Exposed Wiring
 - Response buttons: YES, NO, N/A

Inspection list filtering by date improvements

In the past, you could only filter by date for scheduled inspections in the inspection table. Now, you can filter both scheduled and completed inspection lists by date. The appearance and behavior of the **Date** menu has improved, and is more consistent with other applications on the iPad. A new button has also been added to the top of the **Date** menu, to let you change the sort order for the dates. The name of this button changes between **Sort Ascending** and **Sort Descending** each time you touch it, and the dates sort accordingly.



PDF Report interface changes

On the **Inspection Summary** screen, when you are viewing the inspection's signed PDF file, the send icon and its drop-down menu in the upper right corner over the PDF had been replaced by the **Email** and **Print** buttons. When you touch the **Email** button, a menu of emails sorted by categories appears; any options you select in this menu appear in the **To** line of the email the PDF file will be attached to. When you touch **Print**, the normal **Print** dialog box appears.



Safeguard for editing occupancy inspections

In the **Business Details** screen, the **Allow Editing** button has been added at the bottom of the screen. To reduce the chances of accidentally altering your data, you must now touch **Allow Editing** to enter edit mode, and then you can edit your data as before.

The **Editing Enabled** bar appears at the top of the screen, and contains the **Save** and **Cancel** buttons for the edit mode. The **Building is Vacant** and **Occupancy Changed** buttons replace the **Allow Editing** button at the bottom of the screen, and you can edit the information for the building, preplans, and contacts as before. When you are done editing, you must touch **Save** on the right side of the **Editing Enabled** bar to save your changes and leave edit mode.

Business Details | Begin Inspection

Western Gas & Electric | SCHEDULED | 0/10
2015 BIRCH RD ste. 1009, CHULA VISTA, CA 91915 / 621-204-2569 | Violations: 0

Building | Preplans | Contact | History

Western Gas & Electric	Inspection State	SCHEDULED
2015 BIRCH RD	Suite/Unit	1009
CHULA VISTA	CA	91915

Property Use Code Street or road in commercial area

Mixed Use Code Row of stores

Inspection Type NC - Overhead Sprinkler - Final

Business License 123456789012345 | Parcel Number 6430610500

Square Feet 9345 | Number of Floors 1 | Occupancy Load 276

Allow Editing

Business Details | Begin Inspection

Western Gas & Electric | SCHEDULED | 0/10
2015 BIRCH RD ste. 1009, CHULA VISTA, CA 91915 / 621-204-2569 | Violations: 0

Cancel | Editing Enabled | Save

Building | Preplans | Contact | History

Western Gas & Electric	Inspection State	SCHEDULED
2015 BIRCH RD	Suite/Unit	1009
CHULA VISTA	CA	91915

Property Use Code Street or road in commercial area

Mixed Use Code Row of stores

Inspection Type NC - Overhead Sprinkler - Final

Business License 123456789012345 | Parcel Number 6430610500

Square Feet 9345 | Number of Floors 1 | Occupancy Load 276

Building is Vacant | Occupancy Changed